

SETTING HIGHEST STANDARD OF SAFETY TO WORK AT HEIGHT

EXPERTISE IN MANUFACTURING

- MS PIPE & COUPLER
- SSAFE CUPLOCK SCAFFOLDING
- SSAFE MS H FRAMES
- UNIVERSAL SCAFFOLD ITEMS
- ALUMINIUM SCAFFOLDING







SOMO! [[1 11]]

ABOUT US:

We, SCHACH ENGINEERS, are leading player in Scaffolding, Formwork, AWPs, Ladder and PPEs. We are ISO/IEC 17021-1:2015 TUV Nord certified company.

Our product range includes:

SCAFFOLDING

- Steel Scaffolding (Cup-lock, Ring-lock, H Frames, Pipe & Couplers and Customized Solution)
- Aluminium Scaffolding (Narrow Width, Double Width and Customized Solution)
- FRP Scaffolding

FORMWORK

- Aluminium Formwork
- MS Formwork
- Ancillary Components

AWP's, LADDERS and PPE's

- Boom Lifts, Scissor Lifts, Personal Lifts and Spider Lifts
- Various types of Regular and Customized Aluminium and FRP Ladders
- Personal Protective Equipment

We are Proudly engaged into:

- Sales
- Rental
- Design, Planning and Customization
- Safety Training
- Troubleshoot & Support



We are young & dynamic management, technical and sales team, equipped with required set of skills, expertise and experience of more than 15 years. This helps us to carry out a detailed site survey to provide the most suitable products for required applications thus ensuring that work is carried out quickly, safely and economically. We have brought the best output driven Work at Height solution products conforming to

European standards for the Worldwide market.

All our materials meet the growing challenges of maintaining strict quality standards which are necessary to ensure reliability, durability and of course safety. This has made us an utmost preferred vendor for 'Work at Height' solutions in India with zero tolerance to accidents at work site.

Our detailed design, planning, cost control facility, safety standards and market intelligence nurture satisfaction of the customer which enrich business repetition and long-term collaboration.

Our Mission:

SCHACH ENGINEERS aims to serve best safety solutions to our clients around the world.

We believe in innovating and adopting technological advancements to provide the best solutions for safety in 'Work at Height'. We are delighted to make the problems of 'Work at Height' easy for our customers.

Our Vision:

To be the first choice in being 'Work at Height' Solution provider across the Globe. We at SCHACH ENGINEERS are committed to set the highest standard of safety in 'Work at Height' Solutions promoting us to be leader in this category.





ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 3 MTRS

		n Watth	Length	Height		
Product Code	Specification			Working Height	Tetrer Height	Platform Hright
D03-A	Double Width 3 Mtr Working Height with Castors with Aluminium Toe-board	1350		3300	2300	1300
D03-B	Double Width 3 Mtr Working Height with Castors with Ply Toe-board		1800			
D03-C	Double Width 3 Mtr Working Height with Castors and Aluminium platform					



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 4 MTRS

	Specification	Water	Leugth	Bright		
Product Code				Working Height	Tower Height	Platform Height
D04-A	Double Width 4 Mtr Working Height with Castors with Aluminium Toe-board	1350			3300	2300
D04-B	Double Width 4 Mr Working Height with Castors with Ply Toe-board		1800	4300		
D04-C	Double Width 4 Mtr Working Height with Castors without Stairladder		1800			
D04-D	Double Width 4 Mir Working Height with Castors and Aluminium platform					



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 5 MTRS

	Specification	Width	Length	Height		
Product Code				Working Height	Tower Height	Platform Height
D05-A	Double Width 5 Mtr Working Height with Castors with Aluminium Toe-board	1350			4300	3300
D05-B	Double Width 5 Mtr Working Height with Castors with Ply Toe-board		050509	5300		
D05-C	Double Width 5 Mrr Working Height with Castors without Stairladder		1800			
D05-D	Double Width 5 Mtr Working Height with Castors and Aluminium platform					



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 6 MTRS



		pecification Width	Leagth	Height			
Product Code	Specification			Working Height	Tower Height	Platform Height	
D06-A	Double Width 6 Mtr Working Height with Castors with Aluminium Toe-Board	1350					
D06-B	Double Width 6 Mtr Working Height with Castors with Ply Toe-board			6300	5300	4300	
D06-C	Double Width 6 Mrr Working Height with Castors without Stairladder		1800				
D06-D	Double Width 6 Mrr Working Height with Castors and Aluminium platform						



WWW.SCHACHENGINEERS.COM

ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 7 MTRS

	Specification	Width	Length	Height			
Product Code				Working Height	Tower Height	Platform Height	
D07-A	Double Width 7 Mtr Working Height with Castors with Aluminium Toe-Board						
D07-B	Double Width 7 Mtr Working Height with Castors with Pby Toe-board				6300	5300	
D07-C	Double Width 7 Mtr Working Height with Castors without Stairladder	1350	1800	7300			
D07-D	Double Width 7 Mtr Working Height with Aluminium platform						

1. All dimensions are in mm.





ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 8 MTRS

Product Code	Specification	Watth	Length	Height			
				Working: Height	Tower Height	Platform Height	
D08-A	Double Width 8 Mtr Working Height with Castors with Aluminium Toe-Board	1350		2000		6300	
D08-B	Double Width 8 Mtr Working Height with Castors with Ply Toe-board		20000				
D08-C	Double Width 8 Mtr Working Height with Castors without Stairladder		1800	8300	7300		
D68-D	Double Width 8 Mtr Working Height with Castors and Aluminium platform						



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 9 MTRS

Product Code	Specification	Width	Length	Height			
				Working Height	Tower Height	Platform Height	
D09-A	Double Width 9 Mtr Working Height with Castors with Aluminium Toe-Board	1350			8300	7300	
D09-B	Double Width 9 Mtr Working Height with Castors with Ply Toe-board						
D09-C	Double Width 9 Mrr Working Height with Castors without Stairfadder		1800	9300			
D09-D	Double Width 9 Mtr Working Height with Castors and Aluminium platform						



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 10 MTRS

		Width Length Working		Height			
Product Code	Specification		Tower Height	Platform Height			
D10-A	Double Width 10 Mtr Working Height with Castors with Aluminium Toe-Board	1350			9300	8300	
D10-B	Double Width 10 Mtr Working Height with Castors with Ply Toe-board						
D10-C	Double Width 10 Mtr Working Height with Castors without Stairladder		1800	10300			
D10-D	Double Width 10 Mtr Working Height with Castors and Aluminium platform						



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 11 MTRS

Product Code		Width	Length	Height				
	Specification			Working Height	Tower Height	Platform Height		
D11-A	Double Width 11 Mtr Working Height with Castors with Aluminium Toe-Board	1350						
D11-B	Double Width 11 Mtr Working Height with Castors with Ply Toe-board		100000	100000	10300	9300		
D11-C	Double Width 11 Mtr Working Height with Castors without Stairladder		1350 1800	11300				
D11-D	Double Width 11 Mtr Working Height with Castors and Aluminium platform							



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 12 MTRS

	Specification	Width	Length	Height				
Product Code				Working Height	Tower Height	Platform Height		
D12-A	Double Width 12 Mtr Working Height with Castors with Aluminium Toe-Board	1350						
D12-B	Double Width 12 Mtr Working Height with Castors with Ply Toe-board		5000000	gersten.	11300	10300		
D12-C	Double Width 12 Mtr Working Height with Castors without Stairladder		1800	12300				
D12-D	Double Width 12 Mtr Working Height with Castors and Aluminium platform							



WWW.SCHACHENGINEERS.COM

1. All dimensions are in mm.







ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 13 MTRS

	luct Code Specification	Width	Length	Height			
Product Code				Working Height	Tower Height	Platform Height	
D13-A	Double Width 13 Mtr Working Height with Castors with Aluminium Toe-Board	1350					
D13-B	Double Width 13 Mtr Working Height with Castors with Ply Toe-board		1000	13300	12300	11300	
D13-C	Double Width 13 Mtr Working Height with Castors without Stairladder		1350 1800				
D13-D	Double Width 13 Mtr Working Height with Castors and Aluminium platform						



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 14 MTRS

	Specification	Width	Length	Height			
Product Code				Working Height	Tower Height	Platform Height	
D14-A	Double Width 14 Mtr Working Height with Castors with Aluminium Toe-Board				United States	200.000.10	
D14-B	Double Width 14 Mtr Working Height with Castors with Ply Toe-board						
D14-C	Double Width 14 Mtr Working Height with Castors with Stairladder	1350	1800	14300	13300	12300	
D14-C	Double Width 14 Mtr Working Height with Castors without Stairladder						
D14-D	Double Width 14 Mtr Working Height with Castors and Aluminium platform						



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 15 MTRS

	Specification	Width	Length	Height		
Product Code				Working Height	Tower Beight	Platform Height
D15-A	Double Width 15 Mtr Working Height with Castors with Aluminium Toe-Board	1350			0 14300	13300
D15-B	Double Width 15 Mtr Working Height with Castors with Ply Toe-board			200000		
D15-C	Double Width 15 Mtr Working Height with Castors without Stairladder		1800	15300		
D15-D	Double Width 15 Mtr Working Height with Castors and Aluminium platform					



ALUMINIUM H-FRAME SCAFFOLD DOUBLE WIDTH 16 MTRS

				Height					
Product Code	Specification	Width	Longth	Working Height	Tower Height	Platform Height			
D16-A	Double Width 16 Mtr Working Height with Castors with Aluminium Toe-Board	1350							
D16-B	Double Width 16 Mtr Working Height with Castors with Ply Toe-board								
D16-C	Double Width 16 Mtr Working Height with Castors with MS Base Frame		1350 1800	16300 15300	15300	14300			
D16-D	Double Width 16 Mtr Working Height with Castors and Aluminium platform								



ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 2 MTRS

		With	Width Length	Height				
Product Code	ct Code Specification			Working Height	Tower Height	Platform Height		
N02-A	Narrow Width 2 Mir Working Height with Castors	750		740	1000	2200	1100	700
N02-B	Narrow Width 2 Mtr Working Height with Castors and Aluminium platform		1800	2300	1300	300		

1. All dimensions are in mm.





ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 3 MTRS

	Product Code Specification	Width	Length	Height		
Product Code				Working Height	Tower Height	Platform Height
N03-A	Narrow Width 3 Mtr Working Height with Castors with Aluminium Toe-Board					
N03-B	Narrow Width 3 Mtr Working Height with Castors with Ply Toe-board			3300	2300	1300
N03-C	Narrow Width 3 Mtr Working Height with Cautors and Aluminium platform					



ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 4 MTRS

	Narrow Width 4 Mtr Working Height with Castress with Aluminium Toe-Board Narrow Width 4 Mtr Working Height with Castors with Ply Toe-board Narrow Width 4 Mtr Working Height with Castors with Stairladder Narrow Width 4 Mtr Working Height with	Watth	Length	Height		
Product Code				Working Height	Tower Height	Platform Height
N04-A			F24 888			
N04-B					50000	3300
N04-C			750		4300	
N04-D	Narrow Width 4 Mtr Working Height with Castors and Aluminium platform					



ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 5 MTRS

				Height			
Product Code	Specification	Width	Length	Working Height	Height Tower Height 4300	Platform Height	
N05-A	Narrow Width 5 Mir Working Height with Castors with Aluminium Toe-Board	200					
N05-B	Narrow Width 5 Mrr Working Height with Castors with Ply Toe-board		750			#300	
N05-C	Narrow Width 5 Mtr Working Height with Castors with Stairladder	750	1800	5300		3300	
N05-D	Narrow Width 5 Mtr Working Height with Castors and Aluminium platform						



ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 6 MTRS

Books and Code				Height			
Product Code	Specification	Width	Length	Working Height	Tower Height	Platform Height	
N06-A	Narrow Width 6 Mtr Working Height with Castors with Aluminium Toe-Board						
N06-B	Narrow Width 6 Mtr Working Height with Castors with Ply Toe-board	750	1800	6300	5300	4300	
N06-D	Narrow Width 5 Mtr Working Height with Castors and Aluminium platform						



ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 7 MTRS

				Hright		
Product Code	Specification	Width	Length	Working Height	Tower Height	Platform Height
N07-A	Narrow Width 7 Mtr Working Height with Castors with Aluminium Toe-Board					
N07-B	Narrow Width 7 Mtr Working Height with Castors with Ply Toe-board	750	1800	7300	6300	5300
N07-D	Narrow Width 7 Mtr Working Height with Castors and Aluminium platform					



WWW.SCHACHENGINEERS.COM

1. All dimensions are in mm.



21

ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 8 MTRS

	8-A Narrow Width 8 Mir Working Height with Castors with Aluminium Toe-Board Narrow Width 8 Mir Working Height with	Width	Length	Height		
Product Code				Working Height	Tower Height	Platform Height
N08-A		750				6300
N08-B			750 1800	750 1800 8300	7300	
N08-D	Narrow Width 8 Mtr Working Height with Castors and Aluminium platform					



22

ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 9 MTRS

				Height					
Product Code	Specification	Width	Length	Working Height	Tower Height	Piatform Height			
N09-A	Narrow Width 9 Mtr Working Height with Castors with Aluminium Toe-Board								
N09-B	Narrow Width 9 Mtr Working Height with Castors with Ply Toe-board	750	1800	9300	8300	7300			
N09-D	Narrow Width 9 Mtr Working Height with Castors and Aluminium platform								



23

ALUMINIUM H-FRAME SCAFFOLD NARROW WIDTH 10 MTRS

		Width	Leagth	Height			
Product Code	Specification			Working Height	Tower Height	Platform Height	
N10-A	Narrow Width 10 Mir Working Height with Castors with Aluminium Toe-Board				25500	25.00	
N10-B	Narrow Width 10 Mtr Working Height with Castors with Ply Toe-board	1200					
N10-C	Narrow Width 10 Mtr Working Height with Castors with Stairladder	750	750	1800	10300	9300	8300
N10-D	Narrow Width 10 Mtr Working Height with Castors and Aluminium platform						

WWW.SCHACHENGINEERS.COM

NOTE:

1. All dimensions are in mm.



Site we have ensured safety to work at height

OUR CLIENTS































































Site we have ensured safety to work at height

OUR CLIENTS





































































Delhi NCR • Mumbai • Bangalore • Kolkata • Chennai • Hyerabad • Pune • Lucknow • Coimbatore

Corporate Office

A-201, Hariom Plaza, MG Road, G-401, AVJ heights, Sukarwadi , Borivali (East) Mumbai - 400 066

Registered Office Sector Zeta 1,

Greater Noida -201 306.

Mobile: 91 74282 90741

Email: info@schachengineers.com

www.schachengineers.com

