



SCHACHTM
ENGINEERS
SETTING HIGHEST STANDARD OF SAFETY TO WORK AT HEIGHT

SETTING HIGHEST STANDARD OF SAFETY TO WORK AT HEIGHT

EXPERTISE IN MANUFACTURING

- ✓ MS PIPE & COUPLER
- ✓ SSAFE CUPLOCK SCAFFOLDING
- ✓ SSAFE RING LOCK SCAFFOLDING
- ✓ SSAFE H FRAMES SCAFFOLDING
- ✓ UNIVERSAL SCAFFOLD ITEMS



ISO 9001:2015

For more information
+91 7428290741

Visit our website
WWW.SCHACHENGINEERS.COM



ABOUT US:

We, SCHACH ENGINEERS, are leading player in Scaffolding, Formwork, AWP, Ladder and PPEs. We are ISO/IEC 17021-1:2015 TUV Nord certified company.

Our product range includes:

SCAFFOLDING

- Steel Scaffolding (Cup-lock, Ring-lock, H Frames, Pipe & Couplers and Customized Solution)
- Aluminium Scaffolding (Narrow Width, Double Width and Customized Solution)
- FRP Scaffolding

FORMWORK

- Aluminium Formwork
- MS Formwork
- Ancillary Components

AWP, LADDERS and PPE's

- Boom Lifts, Scissor Lifts, Personal Lifts and Spider Lifts
- Various types of Regular and Customized Aluminium and FRP Ladders
- Personal Protective Equipment

We are Proudly engaged into:

- Sales
- Rental
- Design, Planning and Customization
- Safety Training
- Troubleshoot & Support



We are young & dynamic management, technical and sales team, equipped with required set of skills, expertise and experience of more than 15 years. This helps us to carry out a detailed site survey to provide the most suitable products for required applications thus ensuring that work is carried out quickly, safely and economically. We have brought the best output driven Work at Height solution products conforming to

European standards for the Worldwide market.

All our materials meet the growing challenges of maintaining strict quality standards which are necessary to ensure reliability, durability and of course safety. This has made us an utmost preferred vendor for 'Work at Height' solutions in India with zero tolerance to accidents at work site.

Our detailed design, planning, cost control facility, safety standards and market intelligence nurture satisfaction of the customer which enrich business repetition and long-term collaboration.

Our Mission:

SCHACH ENGINEERS aims to serve best safety solutions to our clients around the world.

We believe in innovating and adopting technological advancements to provide the best solutions for safety in 'Work at Height'. We are delighted to make the problems of 'Work at Height' easy for our customers.

Our Vision:

To be the first choice in being 'Work at Height' Solution provider across the Globe.

We at SCHACH ENGINEERS are committed to set the highest standard of safety in 'Work at Height' Solutions promoting us to be leader in this category.



**Setting Highest Standard
of Safety to work at Height.**



CAT-1001/MS/REV-0

MS PIPE & COUPLER

WWW.SCHACHENGINEERS.COM




A.1 MS BARE PIPE

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-MB-48.3x6000	MS Bare Pipe 40NB (48.3OD)x 6mtr	48.3	6000
SS-C-MB-48.3x5000	MS Bare Pipe 40NB (48.3OD)x 5mtr	48.3	5000
SS-C-MB-48.3x4500	MS Bare Pipe 40NB (48.3OD)x 4.5mtr	48.3	4500
SS-C-MB-48.3x4000	MS Bare Pipe 40NB (48.3OD)x 4mtr	48.3	4000
SS-C-MB-48.3x3500	MS Bare Pipe 40NB (48.3OD)x 3.5mtr	48.3	3500
SS-C-MB-48.3x3000	MS Bare Pipe 40NB (48.3OD)x 3mtr	48.3	3000
SS-C-MB-48.3x2500	MS Bare Pipe 40NB (48.3OD)x 2.5mtr	48.3	2500
SS-C-MB-48.3x2000	MS Bare Pipe 40NB (48.3OD)x 2mtr	48.3	2000
SS-C-MB-48.3x1500	MS Bare Pipe 40NB (48.3OD)x 1.5mtr	48.3	1500
SS-C-MB-48.3x1000	MS Bare Pipe 40NB (48.3OD)x 1mtr	48.3	1000



A.2 HDG PIPE 40NB

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-HP-48.3x6000	HDG Pipe 40NB (48.3OD)x 6mtr	48.3	6000
SS-C-HP-48.3x5500	HDG Pipe 40NB (48.3OD)x 5.5mtr	48.3	5500
SS-C-HP-48.3x5000	HDG Pipe 40NB (48.3OD)x 5mtr	48.3	5000
SS-C-HP-48.3x4500	HDG Pipe 40NB (48.3OD)x 4.5mtr	48.3	4500
SS-C-HP-48.3x4000	HDG Pipe 40NB (48.3OD)x 4mtr	48.3	4000
SS-C-HP-48.3x3500	HDG Pipe 40NB (48.3OD)x 3.5mtr	48.3	3500
SS-C-HP-48.3x3000	HDG Pipe 40NB (48.3OD)x 3mtr	48.3	3000
SS-C-HP-48.3x2500	HDG Pipe 40NB (48.3OD)x 2.5mtr	48.3	2500
SS-C-HP-48.3x2000	HDG Pipe 40NB (48.3OD)x 2mtr	48.3	2000
SS-C-HP-48.3x1500	HDG Pipe 40NB (48.3OD)x 1.5mtr	48.3	1500
SS-C-HP-48.3x1000	HDG Pipe 40NB (48.3OD)x 1mtr	48.3	1000



A.3 MS PAINTED PIPE 40NB

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-MP-48.3x6000	MS Painted Pipe 40NB (48.3OD)x 6mtr	48.3	6000
SS-C-MP-48.3x5500	MS Painted Pipe 40NB (48.3OD)x 5.5mtr	48.3	5500
SS-C-MP-48.3x5000	MS Painted Pipe 40NB (48.3OD)x 5mtr	48.3	5000
SS-C-MP-48.3x4500	MS Painted Pipe 40NB (48.3OD)x 4.5mtr	48.3	4500
SS-C-MP-48.3x4000	MS Painted Pipe 40NB (48.3OD)x 4mtr	48.3	4000
SS-C-MP-48.3x3500	MS Painted Pipe 40NB (48.3OD)x 3.5mtr	48.3	3500
SS-C-MP-48.3x3000	MS Painted Pipe 40NB (48.3OD)x 3mtr	48.3	3000
SS-C-MP-48.3x2500	MS Painted Pipe 40NB (48.3OD)x 2.5mtr	48.3	2500
SS-C-MP-48.3x2000	MS Painted Pipe 40NB (48.3OD)x 2mtr	48.3	2000
SS-C-MP-48.3x1500	MS Painted Pipe 40NB (48.3OD)x 1.5mtr	48.3	1500
SS-C-MP-48.3x1000	MS Painted Pipe 40NB (48.3OD)x 1mtr	48.3	1000

1. All pipes are supplied with specific "IS" grade marking as per customer requirement .
2. All pipes are supplied within tolerance as per respective standard specified by customer.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS PIPE & COUPLER

WWW.SCHACHENGINEERS.COM

A.4 RIGHT ANGLE SHEET PRESSED COUPLER



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-RAS-40x40	Right Angle Sheet Pressed Coupler 40NB (48.3OD)x 40NB (48.3OD)	40	40
SS-C-RA -50x50	Righ Angle Sheet Pressed Coupler 50NB (60.3OD)x 50NB (60.3OD)	50	50
SS-C-RAS-40x50	Right Angle Sheet Pressed Coupler 40NB (48.3OD)x 50NB (60.3OD)	40	50

A.5 RIGHT ANGLE FORGED COUPLER



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-RAF-40x40	Right Angle Forged Coupler 40NB (48.3OD)x 40NB (48.3OD)	40	40
SS-C-RAF-50x50	Right Angle Forged Coupler 50NB (60.3OD)x 50NB (60.3OD)	50	50
SS-C-RAF-40x50	Right Angle Forged Coupler 40NB (48.3OD)x 50NB (60.3OD)	40	50

A.6 SWIVEL SHEET PRESSED COUPLER



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-SSP-40x40	Swivel Sheet Pressed Coupler 40NB (48.3OD)x 40NB (48.3OD)	40	40
SS-C-SSP-50x50	Swivel Sheet Pressed Coupler 50NB (60.3OD)x 50NB (60.3OD)	50	50
SS-C-SSP-40x50	Swivel Sheet Pressed Coupler 40NB (48.3OD)x 50NB (60.3OD)	40	50

A.7 SWIVEL FORGED COUPLER



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-SFC-40x40	Swivel Forged Coupler 40NB (48.3OD)x 40NB (48.3OD)	40	40
SS-C-SFC-50x50	Swivel Forged Coupler 50NB (60.3OD)x 50NB (60.3OD)	50	50
SS-C-SFC-40x50	Swivel Forged Coupler 40NB (48.3OD)x 50NB (60.3OD)	40	50

A.8 EJP COUPLER (PIPE JOINT)



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-EC-48x180	EJP Coupler (Pipe Joint)	48	180

A.9 SLEEVE COUPLER



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-SC-48x150	Sleeve Coupler	48	150

A.10 PUT LOG FORGED COUPLER



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-PLF-48x100	Put Log Forged Coupler	48	100

A.11 PUT LOG SHEET PRESSED COUPLER



Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-PLS-48x100	Put Log Sheet Pressed Coupler	48	100


1. All couplers are supplied with specific "IS" grade marking as per customer requirement.
2. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS PIPE & COUPLER

WWW.SCHACHENGINEERS.COM



A.12 LADDER BOX TYPE COUPLER

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-LB-48x90	Ladder Box Type Coupler	48	90



A.13 LADDER HOOK COUPLER

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-LH-48x75	Ladder Hook Coupler	48	75



A.14 BOARD FORGED COUPLER

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-BF-48x100	Board Forged Coupler	48	100



A.15 BOARD SHEET PRESSED COUPLER

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-BS-48x100	Board Sheet Pressed Coupler	48	100



A.16 BEAM / GIRDER FORGED COUPLER

Product Code	Specification	Thk / dia in mm	Length in mm
SS-C-B/-48x80	Beam / Girder Forged Coupler	48	80

1. All couplers are supplied with specific "IS" grade marking as per customer requirement.
2. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS CUPLOCK

WWW.SCHACHENGINEERS.COM



B.1 CUPLOCK VERTICAL

Product Code	Specification	Length in mm
SS-A-CV-500-1C	Cuplock Vertical 0.5mtr 1Cup	500
SS-A-CV-1000-2C	Cuplock Vertical 1.0mtr 2Cups	1000
SS-A-CV-1200-3C	Cuplock Vertical 1.2mtr 3Cups	1200
SS-A-CV-1500-3C	Cuplock Vertical 1.5mtr 3Cups	1500
SS-A-CV-2000-4C	Cuplock Vertical 2.0mtr 4Cups	2000
SS-A-CV-2500-5C	Cuplock Vertical 2.5mtr 5Cups	2500
SS-A-CV-3000-6C	Cuplock Vertical 3.0mtr 6Cups	3000
SS-A-CV-1000-1C	Cuplock Vertical 1.0mtr 1Cup	1000
SS-A-CV-1200-2C	Cuplock Vertical 1.2mtr 2Cups	1200
SS-A-CV-1500-2C	Cuplock Vertical 1.5mtr 2Cups	1500
SS-A-CV-2000-2C	Cuplock Vertical 2.0mtr 2Cups	2000
SS-A-CV-2500-3C	Cuplock Vertical 2.5mtr 3Cups	2500
SS-A-CV-3000-3C	Cuplock Vertical 3.0mtr 3Cups	3000



B.2 CUPLOCK LEDGER

Product Code	Specification	Length in mm
SS-A-CL-300	Cuplock Ledger 0.3mtr	300
SS-A-CL-500	Cuplock Ledger 0.5mtr	500
SS-A-CL-600	Cuplock Ledger 0.6mtr	600
SS-A-CL-800	Cuplock Ledger 0.8mtr	800
SS-A-CL-900	Cuplock Ledger 0.9mtr	900
SS-A-CL-1000	Cuplock Ledger 1.0mtr	1000
SS-A-CL-1200	Cuplock Ledger 1.2mtr	1200
SS-A-CL-1250	Cuplock Ledger 1.25mtr	1250
SS-A-CL-1300	Cuplock Ledger 1.3mtr	1300
SS-A-CL-1500	Cuplock Ledger 1.5mtr	1500
SS-A-CL-1800	Cuplock Ledger 1.8mtr	1800
SS-A-CL-2000	Cuplock Ledger 2.0mtr	2000
SS-A-CL-2250	Cuplock Ledger 2.25mtr	2250
SS-A-CL-2500	Cuplock Ledger 2.5mtr	2500
SS-A-CL-3000	Cuplock Ledger 3.0mtr	3000


1. All Items are supplied with Specific "IS" Garde Marking as per Customer Requirement .
2. All Items are supplied within Tolerance as per respctive Standard specified by Customer.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS CUPLOCK

WWW.SCHACHENGINEERS.COM



B.3 CUPLOCK SPIGOT WITH DOUBLE NUT & BOLT

Product Code	Specification	Length in mm
SS-A-CS-200	Cuplock Spigot 200mm with Double Nut & Bolt	200
SS-A-CS-300	Cuplock Spigot 300mm with Double Nut & Bolt	300



B.4 HANGING CUPLOCK TOEBOARD

Product Code	Specification	Width in mm	Length in mm
SS-A-HC-150x600	Hanging Cuplock Toe Board 150mm x 0.6mtr	150	600
SS-A-HC-150x1000	Hanging Cuplock Toe Board 150mm x 1mtr	150	1000
SS-A-HC-150x1200	Hanging Cuplock Toe Board 150mm x 1.2mtr	150	1200
SS-A-HC-150x1250	Hanging Cuplock Toe Board 150mm x 1.25mtr	150	1250
SS-A-HC-150x1300	Hanging Cuplock Toe Board 150mm x 1.3mtr	150	1300
SS-A-HC-150x1500	Hanging Cuplock Toe Board 150mm x 1.5mtr	150	1500
SS-A-HC-150x1800	Hanging Cuplock Toe Board 150mm x 1.8mtr	150	1800
SS-A-HC-150x2000	Hanging Cuplock Toe Board 150mm x 2.0mtr	150	2000
SS-A-HC-150x2500	Hanging Cuplock Toe Board 150mm x 2.5mtr	150	2500



B.5 CUPLOCK CANTILVER BRACKET

Product Code	Specification	Width in mm	Length in mm
SS-A-CC-525x500	Cuplock Cantilever Bracket 0.525mtr x 0.5mtr	525	500
SS-A-CC-750x500	Cuplock Cantilever Bracket 0.75mtr x 0.5mtr	750	500
SS-A-CC-1000x1000	Cuplock Cantilever Bracket 1mtr x 1mtr	1000	1000
SS-A-CC-1300x1000	Cuplock Cantilever Bracket 1.3mtr x 1mtr	1300	1000

1. All Items are supplied with Specific "IS" Garde Marking as per Customer Requirement .
2. All Items are supplied within Tolerance as per respctive Standard specified by Customer.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

RINGLOCK

WWW.SCHACHENGINEERS.COM

C.1 Ringlock Vertical



Product Code	Specification	Dia	Length
SS-E-RV48x500	Ringlock Vertical 0.5mtr 1Ring	48	500
SS-E-RV48x1000	Ringlock Vertical 1.0mtr 1Ring	48	1000
SS-E-RV48x1500	Ringlock Vertical 1.5mtr 2Rings	48	1500
SS-E-RV48x2000	Ringlock Vertical 2.0mtr 2Rings	48	2000
SS-E-RV48x2500	Ringlock Vertical 2.5mtr 3Rings	48	2500
SS-E-RV48x3000	Ringlock Vertical 3.0mtr 3Rings	48	3000
SS-E-RV48x1000	Ringlock Vertical 1.0mtr 2Rings	48	1000
SS-E-RV48x1500	Ringlock Vertical 1.5mtr 3Rings	48	1500
SS-E-RV48x2000	Ringlock Vertical 2.0mtr 4Rings	48	2000
SS-E-RV48x2500	Ringlock Vertical 2.5mtr 5Rings	48	2500
SS-E-RV48x3000	Ringlock Vertical 3.0mtr 6Rings	48	3000

C.2 Ringlock Vertical with attached Spigot



Product Code	Specification	Dia	Length
SS-E-RVwaS48x500	Ringlock Vertical 0.5mtr 1Ring With Attached Spigot	48	500
SS-E-RVwaS48x1000	Ringlock Vertical 1.0mtr 1Ring With Attached Spigot	48	1000
SS-E-RVwaS48x1500	Ringlock Vertical 1.5mtr 2Rings With Attached Spigot	48	1500
SS-E-RVwaS48x2000	Ringlock Vertical 2.0mtr 2Rings With Attached Spigot	48	2000
SS-E-RVwaS48x1500	Ringlock Vertical 2.5mtr 3Rings With Attached Spigot	48	1500
SS-E-RVwaS48x3000	Ringlock Vertical 3.0mtr 3Rings With Attached Spigot	48	3000
SS-E-RVwaS48x1000	Ringlock Vertical 1.0mtr 2Rings With Attached Spigot	48	1000
SS-E-RVwaS48x1500	Ringlock Vertical 1.5mtr 3Rings With Attached Spigot	48	1500
SS-E-RVwaS48x2000	Ringlock Vertical 2.0mtr 4Rings With Attached Spigot	48	2000
SS-E-RVwaS48x2500	Ringlock Vertical 2.5mtr 5Rings With Attached Spigot	48	2500
SS-E-RVwaS48x3000	Ringlock Vertical 3.0mtr 6Rings With Attached Spigot	48	3000

C.3 Ringlock Horizontal



Product Code	Specification	Dia	Length
SS-E-RH48x500	Ringlock Horizontal 0.5mtr	48	500
SS-E-RH48x600	Ringlock Horizontal 0.6mtr	48	600
SS-E-RH48x800	Ringlock Horizontal 0.8mtr	48	800
SS-E-RH48x900	Ringlock Horizontal 0.9mtr	48	900
SS-E-RH48x1000	Ringlock Horizontal 1.0mtr	48	1000
SS-E-RH48x1200	Ringlock Horizontal 1.2mtr	48	1200
SS-E-RH48x1250	Ringlock Horizontal 1.25mtr	48	1250
SS-E-RH48x1500	Ringlock Horizontal 1.5mtr	48	1500
SS-E-RH48x1800	Ringlock Horizontal 1.8mtr	48	1800
SS-E-RH48x2000	Ringlock Horizontal 2.0mtr	48	2000
SS-E-RH48x2250	Ringlock Horizontal 2.25mtr	48	2250
SS-E-RH48x2500	Ringlock Horizontal 2.5mtr	48	2500
SS-E-RH48x3000	Ringlock Horizontal 3.0mtr	48	3000

Terms & Conditions :

1. All pipes are supplied with Specific IS grade Marking as per Customer requirement .
2. All pipes are supplied within Tolerance as per respective Standrad specified by Customer.
3. All images are for representation of products, actual finishes may vary.




CAT-1001/MS/REV-0

RINGLOCK

WWW.SCHACHENGINEERS.COM

C.4

Ringlock Spigot



Product Code	Specification	Dia	Length
SS-E-RS48x200	Ringlock Spigot 200mm	48	200
SS-E-RS38x200	Ringlock Spigot 200mm with Nut & Bolt	38	200
SS-E-RS38x250	Ringlock Spigot 250mm	38	250
SS-E-RS38x250	Ringlock Spigot 250mm with Nut & Bolt	38	250
SS-E-RS38x300	Ringlock Spigot 300mm	38	300
SS-E-RS38x300	Ringlock Spigot 300mm with Nut & Bolt	38	300

C.5

Base Collar



Product Code	Specification	Dia	Length
SS-E-BC38-	Base Collar	38	-

C.6

Ringlock Diagonal



Product Code	Specification	Dia	Length
SS-E-RD48x1500	Ringlock Diagonal 1.5mtr L x 1.5mtr H	48	1500
SS-E-RD48x1500	Ringlock Diagonal 1.8mtr L x 1.5mtr H	48	1500
SS-E-RD48x1500	Ringlock Diagonal 2.0mtr L x 1.5mtr H	48	1500
SS-E-RD48x1500	Ringlock Diagonal 2.5mtr L x 1.5mtr H	48	1500
SS-E-RD48x1500	Ringlock Diagonal 3.0mtr L x 1.5mtr H	48	1500
SS-E-RD48x2000	Ringlock Diagonal 1.5mtr L x 2.0mtr H	48	2000
SS-E-RD48x2000	Ringlock Diagonal 1.8mtr L x 2.0mtr H	48	2000
SS-E-RD48x2000	Ringlock Diagonal 2.0mtr L x 2.0mtr H	48	2000
SS-E-RD48x2000	Ringlock Diagonal 2.5mtr L x 2.0mtr H	48	2000
SS-E-RD48x2000	Ringlock Diagonal 3.0mtr L x 2.0mtr H	48	2000
SS-E-RD48x2500	Ringlock Diagonal 1.5mtr L x 2.5mtr H	48	2500
SS-E-RD48x2500	Ringlock Diagonal 1.8mtr L x 2.5mtr H	48	2500
SS-E-RD48x2500	Ringlock Diagonal 2.0mtr L x 2.5mtr H	48	2500
SS-E-RD48x2500	Ringlock Diagonal 2.5mtr L x 2.5mtr H	48	2500
SS-E-RD48x2500	Ringlock Diagonal 3.0mtr L x 2.5mtr H	48	2500
SS-E-RD48x3000	Ringlock Diagonal 1.5mtr L x 3.0mtr H	48	3000
SS-E-RD48x3000	Ringlock Diagonal 1.8mtr L x 3.0mtr H	48	3000
SS-E-RD48x3000	Ringlock Diagonal 2.0mtr L x 3.0mtr H	48	3000
SS-E-RD48x3000	Ringlock Diagonal 2.5mtr L x 3.0mtr H	48	3000
SS-E-RD48x3000	Ringlock Diagonal 3.0mtr L x 3.0mtr H	48	3000

Terms & Conditions :

1. All pipes are supplied with Specific IS grade Marking as per Customer requirement .
2. All pipes are supplied within Tolerance as per respective Standrad specified by Customer.
3. All images are for representation of products, actual finishes may vary.




CAT-1001/MS/REV-0

RINGLOCK

WWW.SCHACHENGINEERS.COM

C.7 Ringlock Toe Board



Product Code	Specification	Height	Length
SS-E-RTB150x1000	Ringlock Toe Board 150mm x 1mtr	150	1000
SS-E-RTB150x1200	Ringlock Toe Board 150mm x 1.2mtr	150	1200
SS-E-RTB150x1250	Ringlock Toe Board 150mm x 1.25mtr	150	1250
SS-E-RTB150x1500	Ringlock Toe Board 150mm x 1.5mtr	150	1500
SS-E-RTB150x2000	Ringlock Toe Board 150mm x 2.0mtr	150	2000
SS-E-RTB150x2500	Ringlock Toe Board 150mm x 2.5mtr	150	2500

C.8 Ringlock Cantilever Bracket



Product Code	Specification	Height	Length
SS-E-RCB550x500	Ringlock Cantilver Bracket 0.55mtr x 0.5mtr	550	500
SS-E-RCB700x500	Ringlock Cantilver Bracket 0.7mtr x 0.5mtr	700	500
SS-E-RCB1000x1000	Ringlock Cantilver Bracket 1mtr x 1mtr	1000	1000
SS-E-RCB1300x1000	Ringlock Cantilver Bracket 1.3mtr x 1mtr	1300	1000

Terms & Conditions :

1. All pipes are supplied with Specific IS grade Marking as per Customer requirement .
2. All pipes are supplied within Tolerance as per respective Standrad specified by Customer.
3. All images are for representation of products, actual finishes may vary.
4. All material is supply with painting/ Pre- galvanized/ Hot Dip Galvanized Finish.




CAT-1001/MS/REV-0

MS H FRAMES

WWW.SCHACHENGINEERS.COM

D.1 H FRAME



Product Code	Specification	Width in mm	Length in mm
SS-B-H1-1000x2000	H-Frame 1.0mtr x 2.0mtr	1000	2000
SS-B-H1-1000x1000	H-Frame 1.0mtr x 1.0mtr	1000	1000
SS-B-H1-1600x2000	H-Frame 1.6mtr x 2.0mtr	1600	2000
SS-B-H1-1600x1000	H-Frame 1.6mtr x 1.0mtr	1600	1000

D.2 H FRAME WITH INBUILT LADDER



Product Code	Specification	Width in mm	Length in mm
SS-B-H1-1000x2000-IL	H-Frame 1.0mtr x 2.0mtr with In-Built Ladder	1000	2000
SS-B-H1-1000x1000-IL	H-Frame 1.0mtr x 1.0mtr with In-Built Ladder	1000	1000
SS-B-H1-1600x2000-IL	H-Frame 1.6mtr x 2.0mtr with In-Built Ladder	1600	2000
SS-B-H1-1600x1000-IL	H-Frame 1.6mtr x 1.0mtr with In-Built Ladder	1600	1000

D.3 H FRAME WITH MID PIPE



Product Code	Specification	Width in mm	Length in mm
SS-B-H1-1000x2000-MP	H-Frame 1.0mtr x 2.0mtr with Mid Pipe	1000	2000
SS-B-H1-1600x2000-MP	H-Frame 1.6mtr x 2.0mtr with Mid Pipe	1600	2000

D.4 CROSS BRACE



Product Code	Specification	Length in mm
SS-B-CB-1500	Cross Brace 1.5mtr	1500
SS-B-CB-1750	Cross Brace 1.75mtr	1750
SS-B-CB-2000	Cross Brace 2.0mtr	2000
SS-B-CB-2500	Cross Brace 2.5mtr	2500

1. All Items are supplied with Specific "IS" Garde Marking as per Customer Requirement.
2. All Items are supplied within Tolerance as per respective Standard specified by Customer.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS H FRAMES

WWW.SCHACHENGINEERS.COM

D.5 HORIZONTAL BRACE



Product Code	Specification	Length in mm
SS-B-HB-1500	Horizontal Brace 1.5mtr	1500
SS-B-HB-1750	Horizontal Brace 1.75mtr	1750
SS-B-HB-2000	Horizontal Brace 2.0mtr	2000
SS-B-HB-2500	Horizontal Brace 2.5mtr	2500

D.6 HORIZONTAL PIPE




Product Code	Specification	Length in mm
SS-B-HP-1500	Horizontal Pipe for 1.5mtr (1.6mtr)	1500
SS-B-HP-1750	Horizontal Pipe for 1.75mtr (1.85mtr)	1750
SS-B-HP-2000	Horizontal Pipe for 2.0mtr (2.1mtr)	2000
SS-B-HP-2500	Horizontal Pipe for 2.5mtr (2.6mtr)	2500

D.7 ALUMINIUM STAIR LADDER / LADDER HANDRAIL



Product Code	Specification	Length in mm
SS-B-AS-1750	Aluminium Stair Ladder of 0.35mtrW X 1.65mtr H x 1.75mtr L	1750
SS-B-AL	Aluminium Ladder Handrail	0
SS-B-AT	Aluminium Top Ladder Handrail	0

D.8 ALUMINIUM PLATFORMS



Product Code	Specification	Thk	Length in mm
SS-B-AR-38x1750	Aluminium Resting Platform 0.6mtr x 1.75mtr	38	1750
SS-B-AO-38x1750	Aluminium Openable Platform 0.6mtr x 1.75mtr	38	1750
SS-B-AT-38x1750	Aluminium Trap Door Platform 0.6mtr x 1.75mtr	38	1750

1. All Items are supplied with Specific "IS" Garde Marking as per Customer Requirement.
2. All Items are supplied within Tolerance as per respctive Standard specified by Customer.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS SCAFFOLD

WWW.SCHACHENGINEERS.COM



E-1 BASE JACK WITH PIPE

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-BJ-38x300-P	Base Jack with 38mm Pipe x 300mm	38	300
SS-D-BJ-38x350-P	Base Jack with 38mm Pipe x 350mm	38	350
SS-D-BJ-38x400-P	Base Jack with 38mm Pipe x 400mm	38	400
SS-D-BJ-38x500-P	Base Jack with 38mm Pipe x 500mm	38	500
SS-D-BJ-38x600-P	Base Jack with 38mm Pipe x 600mm	38	600
SS-D-BJ-38x750-P	Base Jack with 38mm Pipe x 750mm	38	750
SS-D-BJ-38x900-P	Base Jack with 38mm Pipe x 900mm	38	900



E-2 SWIVEL BASE JACK WITH PIPE

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-SBJ-38x350-P	Swivel Base Jack with 38mm pipe x 350mm	38	350
SS-D-SBJ-38x500-P	Swivel Base Jack with 38mm pipe x 500mm	38	500
SS-D-SBJ-38x600-P	Swivel Base Jack with 38mm pipe x 600mm	38	600
SS-D-SBJ-38x880-P	Swivel Base Jack with 38mm pipe x 880mm	38	880



E-3 U Head Jack with Pipe

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D- U-38x350P	U Head Jack with 38mm pipe x 350mm	38	350
SS-D- U-38x400P	U Head Jack with 38mm pipe x 400mm	38	400
SS-D- U-38x500P	U Head Jack with 38mm pipe x 500mm	38	500
SS-D- U-38x600P	U Head Jack with 38mm Pipe x 600mm	38	600
SS-D- U-38x880P	U Head Jack with 38mm Pipe x 880mm	38	880



E-4 FOUR WAY HEAD WITH PIPE

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-FWH-38x350-P	Four Way Head with 38mm pipe x 350mm	38	350
SS-D-FWH-38x400-P	Four Way Head with 38mm pipe x 400mm	38	400
SS-D-FWH-38x500-P	Four Way Head with 38mm pipe x 500mm	38	500
SS-D-FWH-38x600-P	Four Way Head with 38mm pipe x 600mm	38	600



E-5 BASE JACK WITH ROD

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-BJ-32x350-R	Base Jack with 32mm Rod x 350mm	32	350
SS-D-BJ-32x500-R	Base Jack with 32mm Rod x 500mm	32	500
SS-D-BJ-32x600-R	Base Jack with 32mm Rod x 600mm	32	600
SS-D-BJ-38x350-R	Base Jack with 38mm Rod x 350mm	38	350
SS-D-BJ-38x500-R	Base Jack with 38mm Rod x 500mm	38	500
SS-D-BJ-38x600-R	Base Jack with 38mm Rod x 600mm	38	600

1. All weights mentioned above are approx, it may vary from product to product.
2. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS SCAFFOLD

WWW.SCHACHENGINEERS.COM



E-6 SWIVEL BASE JACK WITH ROD

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-SB-38x350R	Swivel Base Jack with 38mm rod x 350mm	38	350
SS-D-SB-38x500R	Swivel Base Jack with 38mm rod x 500mm	38	500
SS-D-SB-38x600R	Swivel Base Jack with 38mm rod x 600mm	38	600
SS-D-SB-38x880R	Swivel Base Jack with 38mm rod x 880mm	38	880




E-7 U HEAD JACK WITH ROD

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-UH-32x300-R	U Head Jack with 32mm Rod x 300mm	32	300
SS-D-UH-32x350-R	U Head Jack with 32mm Rod x 350mm	32	350
SS-D-UH-32x500-R	U Head Jack with 32mm Rod x 500mm	32	500
SS-D-UH-32x600-R	U Head Jack with 32mm Rod x 600mm	32	600



E-8 BASE PLATE

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-Bp3-32x150-P	Base plate 32mm Pipe x 150mm	32	150
SS-D-Bp3-38x150-P	Base plate 38mm Pipe x 150mm	38	150



E-9 SWIVEL BASE PLATE

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-SBp-32x150-P	Swivel Base plate 32mm Pipe x 150mm	32	150



E-10 SOLE PLATE WOODEN

Product Code	Specification	Thk / dia in mm	Width in mm	Length in mm
SS-D-SP-38x300x300	Sole Plate Wooden	38	300	300



E-11 BRACING PIPE

Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-BP-48x3000	Bracing Pipe 40NB x 3mtr	48	3000
SS-D-BP-48x4000	Bracing Pipe 40NB x 4mtr	48	4000
SS-D-BP-48x5000	Bracing Pipe 40NB x 5mtr	48	5000
SS-D-BP-48x6000	Bracing Pipe 40NB x 6mtr	48	6000

1. All weights mentioned above are approx, it may vary from product to product.
2. All drawings are for representation purpose only, please refer CAD drawings for actual information.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0


MS SCAFFOLD

WWW.SCHACHENGINEERS.COM



E-12 STABILIZER PIPE


Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-SP-48x2000	Stabilizer Pipe Pipe 40NB x 2mtr	48	2000
SS-D-SP-48x3000	Stabilizer Pipe Pipe 40NB x 3mtr	48	3000
SS-D-SP-48x4000	Stabilizer Pipe Pipe 40NB x 4mtr	48	4000
SS-D-SP-48x5000	Stabilizer Pipe Pipe 40NB x 5mtr	48	5000
SS-D-SP-48x6000	Stabilizer Pipe Pipe 40NB x 6mtr	48	6000



E-13 ANCHOR PIPE


Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-AP-48x2000	Anchor Pipe 2mtr	48	2000
SS-D-AP-48x3000	Anchor Pipe 3mtr	48	3000
SS-D-AP-48x4000	Anchor Pipe 4mtr	48	4000
SS-D-AP-48x5000	Anchor Pipe 5mtr	48	5000

E-14 JALI



Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-J1-25x300x1000	Jalli 1.0mtr (1.12mtr) x 0.3mtr	25	1000
SS-D-J1-25x300x1200	Jalli 1.2mtr (1.32mtr) x 0.3mtr	25	1200
SS-D-J1-25x300x1250	Jalli 1.25mtr (1.37mtr) x 0.3mtr	25	1250
SS-D-J1-25x300x1500	Jalli 1.5mtr(1.62mtr) x 0.3mtr	25	1500
SS-D-J1-25x300x1800	Jalli 1.8mtr(1.92mtr) x 0.3mtr	25	1800
SS-D-J2-25x300x2000	Jalli 2.0mtr x 0.3mtr	25	2000
SS-D-J2-25x300x2500	Jalli 2.5mtr(2.62mtr) x 0.3mtr	25	2500
SS-D-J3-25x300x3000	Jalli 3mtr x 0.3mtr	25	3000

E-15 JALI WITH HOOKS



Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-J1-25x300x1000-WH	Jalli 1.0mtr x 0.3mtr with Hooks	25	1000
SS-D-J1-25x300x1200-WH	Jalli 1.2mtr x 0.3mtr with Hooks	25	1200
SS-D-J1-25x300x1250-WH	Jalli 1.25mtr x 0.3mtr with Hooks	25	1250
SS-D-J1-25x300x1500-WH	Jalli 1.5mtr x 0.3mtr with Hooks	25	1500
SS-D-J1-25x300x1800-WH	Jalli 1.8mtr x 0.3mtr with Hooks	25	1800
SS-D-J2-25x300x2000-WH	Jalli 2.0mtr x 0.3mtr with Hooks	25	2000
SS-D-J2-25x300x2500-WH	Jalli 2.5mtr x 0.3mtr with Hooks	25	2500
SS-D-J3-25x300x3000-WH	Jalli 3.0mtr x 0.3mtr with Hooks	25	3000

1. All weights mentioned above are approx, it may vary product to product.
2. Drawings are for representation only, please refer cad drawings for actual information.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS SCAFFOLD

WWW.SCHACHENGINEERS.COM



E-16 ANTISKID PLATFORM WITH HOOKS

Product Code	Specification	Width in mm	Length in mm
SS-D-AP-225x600-WH	Antiskid Platform 0.6mtr x 225mm with Hooks	225	600
SS-D-AP-225x1000-WH	Antiskid Platform 1.0mtr x 225mm with Hooks	225	1000
SS-D-AP-225x1200-WH	Antiskid Platform 1.2mtr x 225mm with Hooks	225	1200
SS-D-AP-225x1250-WH	Antiskid Platform 1.25mtr x 225mm with Hooks	225	1250
SS-D-AP-225x1500-WH	Antiskid Platform 1.5mtr x 225mm with Hooks	225	1500
SS-D-AP-225x1800-WH	Antiskid Platform 1.8mtr x 225mm with Hooks	225	1800
SS-D-AP-225x2000-WH	Antiskid Platform 2.0mtr x 225mm with Hooks	225	2000
SS-D-AP-225x2500-WH	Antiskid Platform 2.5mtr x 225mm with Hooks	225	2500
SS-D-AP-250x1000-WH	Antiskid Platform 1.0mtr x 250mm with Hooks	250	1000
SS-D-AP-250x1200-WH	Antiskid Platform 1.2mtr x 250mm with Hooks	250	1200
SS-D-AP-250x1250-WH	Antiskid Platform 1.25mtr x 250mm with Hooks	250	1250
SS-D-AP-250x1500-WH	Antiskid Platform 1.5mtr x 250mm with Hooks	250	1500
SS-D-AP-250x1800-WH	Antiskid Platform 1.8mtr x 250mm with Hooks	250	1800
SS-D-AP-250x2000-WH	Antiskid Platform 2.0mtr x 250mm with Hooks	250	2000
SS-D-AP-250x2500-WH	Antiskid Platform 2.5mtr x 250mm with Hooks	250	2500
SS-D-AP-250x3000-WH	Antiskid Platform 3.0mtr x 250mm with Hooks	250	3000
SS-D-AP-300x600-WH	Antiskid Platform 0.6mtr x 300mm with Hooks	300	600
SS-D-AP-300x1000-WH	Antiskid Platform 1mtr x 300mm with Hooks	300	1000
SS-D-AP-300x1200-WH	Antiskid Platform 1.2mtr x 300mm with Hooks	300	1200
SS-D-AP-300x1250-WH	Antiskid Platform 1.25mtr x 300mm with Hooks	300	1250
SS-D-AP-300x1500-WH	Antiskid Platform 1.5mtr x 300mm with Hooks	300	1500
SS-D-AP-300x1800-WH	Antiskid Platform 1.8mtr x 300mm with Hooks	300	1800
SS-D-AP-300x2000-WH	Antiskid Platform 2.0mtr x 300mm with Hooks	300	2000
SS-D-AP-300x2500-WH	Antiskid Platform 2.5mtr x 300mm with Hooks	300	2500
SS-D-AP-300x3000-WH	Antiskid Platform 3.0mtr x 300mm with Hooks	300	3000
SS-D-AP-400x600-WH	Antiskid Platform 0.6mtr x 400mm with Hooks	400	600
SS-D-AP-400x1000-WH	Antiskid Platform 1mtr x 400mm with Hooks	400	1000
SS-D-AP-400x1200-WH	Antiskid Platform 1.2mtr x 400mm with Hooks	400	1200
SS-D-AP-400x1250-WH	Antiskid Platform 1.25mtr x 400mm with Hooks	400	1250
SS-D-AP-400x1500-WH	Antiskid Platform 1.5mtr x 400mm with Hooks	400	1500
SS-D-AP-400x1600-WH	Antiskid Platform 1.6mtr x 400mm with Hooks	400	1600
SS-D-AP-400x1800-WH	Antiskid Platform 1.8mtr x 400mm with Hooks	400	1800
SS-D-AP-400x2000-WH	Antiskid Platform 2.0mtr x 400mm with Hooks	400	2000
SS-D-AP-400x2500-WH	Antiskid Platform 2.5mtr x 400mm with Hooks	400	2500

1. All weights mentioned above are approx, it may vary product to product.
2. Drawings are for representation only, please refer cad drawings for actual information.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS SCAFFOLD


WWW.SCHACHENGINEERS.COM



E-17 ANTISKID PLATFORM WITHOUT HOOKS

Product Code	Specification	Width in mm	Length in mm
SS-D-AP-225x600	Antiskid Platform 0.6mtr x 225mm without Hooks	225	600
SS-D-AP-225x1000	Antiskid Platform 1.0mtr x 225mm without Hooks	225	1000
SS-D-AP-225x1200	Antiskid Platform 1.2mtr x 225mm without Hooks	225	1200
SS-D-AP-225x1250	Antiskid Platform 1.25mtr x 225mm without Hooks	225	1250
SS-D-AP-225x1500	Antiskid Platform 1.5mtr x 225mm without Hooks	225	1500
SS-D-AP-225x1800	Antiskid Platform 1.8mtr x 225mm without Hooks	225	1800
SS-D-AP-225x2000	Antiskid Platform 2.0mtr x 225mm without Hooks	225	2000
SS-D-AP-225x2500	Antiskid Platform 2.5mtr x 225mm without Hooks	225	2500
SS-D-AP-225x3000	Antiskid Platform 3.0mtr x 225mm without Hooks	225	3000
SS-D-AP-225x4000	Antiskid Platform 4.0mtr x 225mm without Hooks	225	4000
SS-D-AP-250x1000	Antiskid Platform 1.0mtr x 250mm without Hooks	250	1000
SS-D-AP-250x1200	Antiskid Platform 1.2mtr x 250mm without Hooks	250	1200
SS-D-AP-250x1250	Antiskid Platform 1.25mtr x 250mm without Hooks	250	1250
SS-D-AP-250x1500	Antiskid Platform 1.5mtr x 250mm without Hooks	250	1500
SS-D-AP-250x1800	Antiskid Platform 1.8mtr x 250mm without Hooks	250	1800
SS-D-AP-250x2000	Antiskid Platform 2.0mtr x 250mm without Hooks	250	2000
SS-D-AP-250x2500	Antiskid Platform 2.5mtr x 250mm without Hooks	250	2500
SS-D-AP-250x3000	Antiskid Platform 3.0mtr x 250mm without Hooks	250	3000
SS-D-AP-250x4000	Antiskid Platform 4.0mtr x 250mm without Hooks	250	4000
SS-D-AP-300x600	Antiskid Platform 0.6mtr x 300mm without Hooks	300	600
SS-D-AP-300x1000	Antiskid Platform 1mtr x 300mm without Hooks	300	1000
SS-D-AP-300x1200	Antiskid Platform 1.2mtr x 300mm without Hooks	300	1200
SS-D-AP-300x1250	Antiskid Platform 1.25mtr x 300mm without Hooks	300	1250
SS-D-AP-300x1500	Antiskid Platform 1.5mtr x 300mm without Hooks	300	1500
SS-D-AP-300x1800	Antiskid Platform 1.8mtr x 300mm without Hooks	300	1800
SS-D-AP-300x2000	Antiskid Platform 2.0mtr x 300mm without Hooks	300	2000
SS-D-AP-300x2500	Antiskid Platform 2.5mtr x 300mm without Hooks	300	2500
SS-D-AP-300x3000	Antiskid Platform 3.0mtr x 300mm without Hooks	300	3000
SS-D-AP-300x4000	Antiskid Platform 4.0mtr x 300mm without Hooks	300	4000

E-18 TOE BOARD WITH COUPLER



Product Code	Specification	Width in mm	Length in mm
SS-D-TB-150x1000-WC	Toe Board 150mm x 1.0mtr with Coupler	150	1000
SS-D-TB-150x1200-WC	Toe Board 150mm x 1.2mtr with Coupler	150	1200
SS-D-TB-150x1250-WC	Toe Board 150mm x 1.25mtr with Coupler	150	1250
SS-D-TB-150x1300-WC	Toe Board 150mm x 1.3mtr with Coupler	150	1300
SS-D-TB-150x1500-WC	Toe Board 150mm x 1.5mtr with Coupler	150	1500
SS-D-TB-150x1600-WC	Toe Board 150mm x 1.6mtr with Coupler	150	1600
SS-D-TB-150x1800-WC	Toe Board 150mm x 1.8mtr with Coupler	150	1800
SS-D-TB-150x2000-WC	Toe Board 150mm x 2.0mtr with Coupler	150	2000
SS-D-TB-150x2500-WC	Toe Board 150mm x 2.5mtr with Coupler	150	2500
SS-D-TB-150x3000-WC	Toe Board 150mm x 3.0mtr with Coupler	150	3000

E-19 PLAIN TOE BOARD



Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-PTB-150x1000	Plain Toe Board 150mm x 1.0mtr	150	1000
SS-D-PTB-150x1200	Plain Toe Board 150mm x 1.2mtr	150	1200
SS-D-PTB-150x1250	Plain Toe Board 150mm x 1.25mtr	150	1250
SS-D-PTB-150x1500	Plain Toe Board 150mm x 1.5mtr	150	1500
SS-D-PTB-150x1800	Plain Toe Board 150mm x 1.8mtr	150	1800
SS-D-PTB-150x2000	Plain Toe Board 150mm x 2.0mtr	150	2000
SS-D-PTB-150x2500	Plain Toe Board 150mm x 2.5mtr	150	2500

1. All weights mentioned above are approx, it may vary product to product.
2. Drawings are for representation only, please refer cad drawings for actual information.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS SCAFFOLD

WWW.SCHACHENGINEERS.COM

E-20 TRANSOM



Product Code	Specification	Thk / dia in mm	Length in mm
SS-D-T -48.3x1000	Transom 1mtr	48.3	1000
SS-D-T -48.3x1250	Transom 1.25mtr	48.3	1250
SS-D-T -48.3x1500	Transom 1.5mtr	48.3	1500
SS-D-T -48.3x2000	Transom 2.0mtr	48.3	2000
SS-D-T -48.3x2500	Transom 2.5mtr	48.3	2500

E-21 MS STAIRCASE WITH ATTACHED LANDING



Product Code	Specification	Width in mm	Length in mm
SS-D-MS-425x1000x2500-AL	MS Staircase 0.425mW x1.0mH x 2.5mL attached Landing	1000	2500
SS-D-MS-625x1000x2500-AL	MS Staircase 0.625mW x1.0mH x 2.5mL attached Landing	1000	2500
SS-D-MS-825x1000x2500-AL	MS Staircase 0.825mW x1.0mH x 2.5mL attached Landing	1000	2500
SS-D-MS-1000x1000x2500-AL	MS Staircase 1.0mW x1.0mH x 2.5mL attached Landing	1000	2500
SS-D-MS-425x1500x2500-AL	MS Staircase 0.425mW x1.5mH x 2.5mL attached Landing	1500	2500
SS-D-MS-625x1500x2500-AL	MS Staircase 0.625mW x1.5mH x 2.5mL attached Landing	1500	2500
SS-D-MS-825x1500x2500-AL	MS Staircase 0.825mW x1.5mH x 2.5mL attached Landing	1500	2500
SS-D-MS-1000x1500x2500-AL	MS Staircase 1.0mW x1.5mH x 2.5mL attached Landing	1500	2500
SS-D-MS-425x2000x2500-AL	MS Staircase 0.425mW x2mH x 2.5mL attached Landing	2000	2500
SS-D-MS-625x2000x2500-AL	MS Staircase 0.625mW x2mH x 2.5mL attached Landing	2000	2500
SS-D-MS-825x2000x2500-AL	MS Staircase 0.825mW x2mH x 2.5mL attached Landing	2000	2500
SS-D-MS-1000x2000x2500-AL	MS Staircase 1.0mW x2mH x 2.5mL attached Landing	2000	2500
SS-D-MS-425x1000x2000-AL	MS Staircase 0.425mW x 1mtrH x 2mtrL attached Landing	1000	2000
SS-D-MS-625x1000x2000-AL	MS Staircase 0.625mW x 1mtrH x 2mtrL attached Landing	1000	2000
SS-D-MS-825x1000x2000-AL	MS Staircase 0.825mW x 1mtrH x 2mtrL attached Landing	1000	2000
SS-D-MS-1000x1000x2000-AL	MS Staircase 1.0mW x 1mtrH x 2mtrL attached Landing	1000	2000
SS-D-MS-425x2000x2000-AL	MS Staircase 0.425mW x 2mtrH x 2mtrL attached Landing	2000	2000
SS-D-MS-625x2000x2000-AL	MS Staircase 0.625mW x 2mtrH x 2mtrL attached Landing	2000	2000
SS-D-MS-825x2000x2000-AL	MS Staircase 0.825mW x 2mtrH x 2mtrL attached Landing	2000	2000
SS-D-MS-1000x2000x2000-AL	MS Staircase 1.0mW x 2mtrH x 2mtrL attached Landing	2000	2000

E-22 MS STAIRCASE SINGLE SIDE HANDRAIL



Product Code	Specification	Width in mm	Length in mm
SS-D-MS-1000x2500	MS Staircase Single Side Handrail for 1mtr H x 2.5m L	1000	2500
SS-D-MS-1500x2500	MS Staircase Single Side Handrail for 1.5mtr H x 2.5m L	1500	2500
SS-D-MS-2000x2500	MS Staircase Single Side Handrail for 2.0mtr H x 2.5m L	2000	2500
SS-D-MS-1000x2000	MS Staircase Single Side Handrail for 1mtr H x 2.0m L	1000	2000
SS-D-MS-2000x2000	MS Staircase Single Side Handrail for 2.0mtr H x 2.0m L	2000	2000

E-23 MS STAIR LADDER WITH SEPARATE LANDING



Product Code	Specification	Thk / dia in mm	Width in mm	Length in mm
SS-D-MSL-425x1000x2500-SL	MS Stair Ladder 0.425mW x1.0mH x 2.5mL Separate Landing	425	1000	2500
SS-D-MSL-625x1000x2500-SL	MS Stair Ladder 0.625mW x1.0mH x 2.5mL Separate Landing	625	1000	2500
SS-D-MSL-825x1000x2500-SL	MS Stair Ladder 0.825mW x1.0mH x 2.5mL Separate Landing	825	1000	2500
SS-D-MSL-1000x1000x2500-SL	MS Stair Ladder 1.0mW x1.0mH x 2.5mL Separate Landing	1000	1000	2500
SS-D-MSL-425x2000x2500-SL	MS Stair Ladder 0.425mW x2mH x 2.5mL Separate Landing	425	2000	2500
SS-D-MSL-625x2000x2500-SL	MS Stair Ladder 0.625mW x2mH x 2.5mL Separate Landing	625	2000	2500
SS-D-MSL-825x2000x2500-SL	MS Stair Ladder 0.825mW x2mH x 2.5mL Separate Landing	825	2000	2500
SS-D-MSL-1000x2000x2500-SL	MS Stair Ladder 1.0mW x2mH x 2.5mL Separate Landing	1000	2000	2500


1. All weights mentioned above are approx, it may vary product to product.
2. Drawings are for representation only, please refer cad drawings for actual information.
3. All images are for representation purpose only, actual finishing may vary.



CAT-1001/MS/REV-0

MS SCAFFOLD

WWW.SCHACHENGINEERS.COM



E-24 MS STAIR LADDER SINGLE SIDE HANDRAIL

Product Code	Specification	Width in mm	Length in mm
SS-D-MSL-1000x2500	MS Stair Ladder Single Side Handrail for 1mtr H x 2.5m L	1000	2500
SS-D-MSL-1500x2500	MS Stair Ladder Single Side Handrail for 1.5mtr H x 2.5m L	1500	2500
SS-D-MSL-2000x2500	MS Stair Ladder Single Side Handrail for 2.0mtr H x 2.5m L	2000	2500



E-25 CASTOR WHEEL

Product Code	Specification	Dia in mm	Width in mm
SS-D-CW-20050-WL	Castor Wheel 8" with Leg (Jack length 300 mm)	50	50
SS-D-CW-20050	Castor Wheel 8" without Leg	50	50
SS-D-CW-15050-WL	Castor Wheel 6" with Leg (Jack length 300 mm)	50	50
SS-D-CW-15050	Castor Wheel 6" without Leg	50	50



E-26 MS WALL SUPPORT LADDER

Product Code	Specification	Length in mm
SS-D-MWS-6000	MS Wall Support Ladder 6mtr	6000
SS-D-MWS-5000	MS Wall Support Ladder 5mtr	5000
SS-D-MWS-4000	MS Wall Support Ladder 4mtr	4000
SS-D-MWS-3000	MS Wall Support Ladder 3mtr	3000
SS-D-MWS-2000	MS Wall Support Ladder 2mtr	2000



E-27 MS SINGLE BEAM LADDER

Product Code	Specification	Length in mm
SS-D-MSB-6000	MS Single Beam Ladder 6mtr	6000
SS-D-MSB-5000	MS Single Beam Ladder 5mtr	5000
SS-D-MSB-4000	MS Single Beam Ladder 4mtr	4000
SS-D-MSB-3000	MS Single Beam Ladder 3mtr	3000
SS-D-MSB-2000	MS Single Beam Ladder 2mtr	2000



E-28 AL WALL SUPPORT LADDER

Product Code	Specification	Length in mm
SS-D-AWS-6000	AL Wall Support Ladder 6mtr	6000
SS-D-AWS-5000	AL Wall Support Ladder 5mtr	5000
SS-D-AWS-4000	AL Wall Support Ladder 4mtr	4000
SS-D-AWS-3000	AL Wall Support Ladder 3mtr	3000
SS-D-AWS-2000	AL Wall Support Ladder 2mtr	2000



E-29 CANTILVER BRACKET WITH COUPLER

Product Code	Specification	Width in mm	Length in mm
SS-D-CB-525x500-WC	Cantilver Bracket with Coupler 0.525mtr x 0.5mtr	525	500
SS-D-CB-750x500-WC	Cantilver Bracket with Coupler 0.75mtr x 0.5mtr	750	500
SS-D-CB-1000x1000-WC	Cantilver Bracket with Coupler 1mtr x 1mtr	1000	1000
SS-D-CB-1300x1000-WC	Cantilver Bracket with Coupler 1.3mtr x 1mtr	1300	1000
SS-D-CB-1300x1000	Cantilver Bracket with Coupler 1.3mtr x 1mtr	1300	1000

1. All weights mentioned above are approx, it may vary product to product.
2. Drawings are for representation only, please refer cad drawings for actual information.
3. All images are for representation purpose only, actual finishing may vary.



**WHAT OUR
CLIENT'S ARE
SAYING**

OUR CLIENTS



**SCHACH
ENGINEERS**

Site we have ensured safety to work at height

IndiGo

Nestlé

JET AIRWAYS



British Embassy



IndianOil



DIAGEO



Mangaluru
INTERNATIONAL AIRPORT

Lucknow
INTERNATIONAL AIRPORT

Ahmedabad
INTERNATIONAL AIRPORT



KANPUR METRO
RAIL CORPORATION

महा मेट्रो



PUNE METRO

महा मेट्रो



NAGPUR METRO



LUCKNOW METRO
RAIL CORPORATION



NOIDA METRO
Noida Metro Rail Corporation Ltd.

infiniti
The mall with infinite experiences



oberoi mall
FUN - FOOD - FASHION - FILMS





**SCHACH
ENGINEERS**

Site we have ensured safety to work at height

WWW.SCHACHENGINEERS.COM

OUR CLIENTS

accenture

Flipkart



BOSCH



GAR

ESSAR

amazon



oppo

DLFA



Come Live an Inorbit Experience



PEPSICO

J.P.Morgan

SANOFI

**OBEROI
REALTY**

LODHA
BUILDING A BETTER LIFE

**MARUTI
SUZUKI**

Abbott

**Chhatrapati Shivaji
International Airport**

JLL

Pfizer

HONDA

Shapoorji Pallonji

H&M



• Delhi NCR • Mumbai • Bangalore • Kolkata • Chennai • Hyderabad • Pune • Lucknow • Coimbatore

Corporate Office

A-201, Hariom Plaza, MG Road,
Sukarwadi , Borivali (East)
Mumbai - 400 066

Registered Office

G-401, AVJ heights,
Sector Zeta 1,
Greater Noida -201 306.

Mobile : 91 74282 90741

Email : info@schachengineers.com
www.schachengineers.com



For more information
+91 7428290741

Visit our website

WWW.SCHACHENGINEERS.COM

